

PLANT LIST FROM SWADDYWELL PIT

Latin names New Flora of the British Isles by Clive Stace Fourth edition. Stace 4.

Locations: cp = car park, g = grassland, q = quarry, b = boundary, h = hedges, rm = road margin, scp = small car park

Latin Name	English name	Location	2020	2019	2018	2017	2016	2015	2014	2013
<i>Achillea millefolium</i>	Yarrow	g q	g	m scp	cp g	cp g		Y	N	
<i>Aesculus hippocastanum</i>	Horse Chestnut	b	b					SL N		
<i>Agrimonia eupatoria</i>	Agrimony	g q	cp2 g	g q	q g	g		Y		
<i>Agrostis capillaris (tenuis)</i>	Common Bent-grass	q	g SL					Y		
<i>Agrostis stolonifera</i>	Creeping Bent-grass	q	g SL	g				New SL		
<i>Aira caryophylla</i>	Silver Hair-grass									
<i>Alchemilla mollis</i>	Lady's Mantle	cp	cp2 g	cp	cp	cp g	cp	Y		
<i>Alisma plantago-aquatica</i>	Water Plantain	q	q	q	q (a lot)	q dry pond		Y JS		
<i>Alliaria petiolata</i>	Garlic Mustard	g	cp2 g	g						
<i>Alopecurus pratensis</i>	Meadow Foxtail		g					SL N		
<i>Anacamptis pyramidalis</i>	Pyramidal Orchid	g q	cp g q	g	cp g q	cp g q	cp g	Y		
<i>Anacamptis pyramidalis</i>	White Pyramidal Orchid	g		g	g			Y (9)		
<i>Anagallis arvensis</i>	Scarlet Pimpernel		q SL							
<i>Anisantha sterilis</i>	Barren Brome	g	g SL			q		Y		
<i>Arrhenatherum elatius</i>	False Oat-grass	g	g	g	g q			SL N		
<i>Anthoxanthum odoratum</i>	Sweet Vernal-grass	q								
<i>Anthriscus sylvestris</i>	Cow Parsley	g	cp1 g	g	g	g	g	Y		
<i>Aphanes arvensis</i>	Parsley Piert	q	g				q	Y		
<i>Arctium lappa</i>	Greater Burdock	q	q		q			New SL		
<i>Arctium minus</i>	Lesser Burdock	g	q		cp g			Y		
<i>Arenaria serbyllifolia</i>	Thyme-leaved Sandwort	q			scp			Y	BSBI SL	
<i>Artemisia vulgaris</i>	Mugwort	q	g q		g q	cp q	cp			N
<i>Arum maculatum</i>	Lord's-and-Ladies	q	q	q	q		q	Y		N
<i>Aster agg.</i>	Michaelmas Daisy	g (N of road)					g (escape?)	Y	Y	
<i>Ballota nigra</i>	Black Horehound	cp g q	q					Y		
<i>Barbarea vulgaris</i>	Winter Cress	g q	g		cp	cp q	q	y		
<i>Bellis perennis</i>	Daisy	g q	cp g q	cp q g lots	cp g q	cp q g	cp g q	Y		
<i>Betula pendula</i>	Silver Birch	q	q	q	g q	q	q	Y	N BSBI	
<i>Blackstonia perfoliata</i>	Yellow-wort	g q	q	g q	q g	g q	cp g q	Y		
<i>Brachypodium rupestre</i>	Tor-grass		g q					SL N		
<i>Brachypodium sylvaticum</i>	False Brome	g	g					Y	BSBI SL	
<i>Bromus hordaceus</i>	Soft Brome	g	SL					Y	BSBI SL	
<i>Bryonia dioica</i>	White Bryony	g q	g	q			q	SL JS		
<i>Calamagrostis epigejos</i>	Wood Small-Reed	g q	cp g q	m q cp	g		q g	y		
<i>Caltha palustris</i>	Marsh Marigold	q	q	q	q	q	q	Y	Planted + Goodfellows pond	
<i>Calystegia sepium</i>	Hedge Bindweed	q	q	q	q			Y		
<i>Calystegia silvatica</i>	Large Bindweed	g		q scp					??	
<i>Cardamine flexuosa aff</i>	Wavy Bitter-cress	q			q					
<i>Cardamine hirsuta</i>	Hairy Bitter-cress	cp q	cp q	cp rm	q			Y		
<i>Cardamine pratensis</i>	Cuckooflower or Lady's-smock	q			q new MH					
<i>Carduus crispus</i>	Wetted Thistle	q	q (new)							
<i>Carex distans</i>	Distant Sedge	q	q				q	Y SL New		
<i>Carex disticha</i>	Brown Sedge	q							BSBI	
<i>Carex flacca</i>	Glaucous Sedge or Carnation Grass	g q	g q	g q	q g	q g	g q	Y		

Latin Name	English name	Location	2020	2019	2018	2017	2016	2015	2014	2013
<i>Carex hirta</i>	Hairy Sedge	q	q SL		g q	q		cp JS		
<i>Carex otrubae</i>	False Fox Sedge	q	q (new)	q	q	q	q	Y		
<i>Carex pendula</i>	Pendulous Sedge	q	SL		g	q		SL		
<i>Carex remota</i>	Remote Sedge	q	q SL		q				BSBI	2013
<i>Carex spicata</i>	Spiked Sedge	q	q SL		g			Y CP JS		
<i>Carex sylvatica</i>	Wood Sedge	cp q	q	q	g q	q	q	Y	BSBI SL	
<i>Carlina vulgaris</i>	Carline Thistle	q	q SL	q	q			Y plenty		
<i>Catapodium rigidum</i>	Fern-grass	q	q SL					Y	BSBI SL	
<i>Centaurea nigra agg</i>	Common Knapweed	g	cp g q	g cp lots	cp g q	cp g q	cp	Y		
<i>Centaurea scabiosa</i>	Greater Knapweed	q	q 1 plant	q (several)	q 3 plants	q (one plant)				
<i>Centaurea scabiosa</i> var. <i>scabiosa</i>	Greater Knapweed spp.		SL							
<i>Centaureum erythraea</i>	Common Centaury	g q	cp q	g q	cp g q	cp g q		Y		
<i>Centaureum pulchellum</i>	Lesser Centaury	cp? q	q cp?	g q	g q	cp? Q		Y	N	
<i>Cerastium fontanum</i>	Common Mouse-ear	cp q	cp q	g	cp g q		q g	Y		
<i>Cerastium glomeratum</i>	Sticky Mouse-ear	cp	q	cp g q	cp g		q	Y		
<i>Chaerophyllum temulum</i>	Rough Chervil	g	g q					SL		
<i>Chamerion angustifolium</i>	Rosebay Willowherb	q	q	q	q	q	q	Y		
<i>Chara aculeolata</i>	Stonewort	q	q SL					Y SL		
<i>Chara globularis</i>	Stonewort	q	q SL	q SL		q New?		y SL		
<i>Chara hispidus</i>	Stonewort		q SL			q New?				
<i>Chara vulgaris</i> var. <i>longibracteata</i>	Stonewort		q SL	SL						
<i>Chenoposium album</i>	Fat-hen	g	q SL					Y		
<i>Chenopodium rubrum</i> (now <i>Oxybasis rubra</i>)	Red Goosefoot	q	q SL	In dry pond		q in dry pond				
<i>Cirsium arvense</i>	Creeping Thistle	g	q cp1	q cp	g q	g q	q	SL		
<i>Cirsium palustre</i>	Marsh Thistle	q	q		q N? end of Jane's trail					
<i>Cirsium vulgare</i>	Spear Thistle	g q	cp1 g q	q	cp g q	g q	q g	Y		
<i>Cladium mariscus</i>	Saw Sedge	q	q	q	q	q	q	Y spreading		
<i>Clematis vitalba</i>	Old Man's-beard	q	q cp1	q cp	cp g q	cp q	cp q	Y		
<i>Clinopodium vulgare</i>	Wild Basil	q	cp2 q	q	q (2 plants)	q	q g more	Y		
<i>Conium maculatum</i>	Hemlock	g	q cp1	q g scp	q g	g	g	Y		
<i>Convolvulus arvensis</i>	Field Bindweed	q	g	scp	q g	g q		Y		
<i>Conyza sumatrensis</i>	Guernsey Fleabane		q SL	SL (new)						
<i>Cornus sanguinea</i> subsp. <i>sanguinea</i>	Dogwood	g	q SL		cp h	cp	cp	Y		
<i>Cornus sanguinea</i> subsp. <i>sanguinea</i>	Dogwood	g	cp	cp	cp hedge	cp	cp	Y		
<i>Corylus avellana</i>	Hazel	h	cp	cp etc	cp		cp	SL		
<i>Cotoneaster agg</i>	Cotoneaster		cp q							
<i>Cotoneaster microphyllus</i>	Small leaved Cotoneaster (2 stones in fruit)	cp	cp		cp q	cp q	cp	SL		
<i>Crataegus monogyna</i>	Hawthorn – check	g q	cp q	q etc.	g	cp g q		Y		
<i>Crepis biennis</i>	Rough Hawksbeard	cp	q	cp (new?)						
<i>Crepis capillaris</i>	Smooth Hawk's-beard	g q	q		g q	q	cp q	Y		
<i>Crepis vesicaria</i> subsp. <i>taraxacifolia</i>	Beaked Hawk's-beard	q	q SL			q		Y		
<i>Cymbalaria muralis</i>	Ivy-leaved Toadflax	g				cp g				
<i>Cynosurus cristata</i>	Crested Dog's-tail	g q	g q	g q cp	g			Y	BSBI	
<i>Dactylis glomerata</i>	Cock's-foot	g	g q cp	g q cp	g q			Y		
<i>Dactylorhiza fuchsii</i>	Common Spotted Orchid	g	g q	g	g q	cp g q	q g	Y		
<i>D. fuchsii</i> white	Common Spotted Orchid (white)	g	q	g lots			g			
<i>D. grandis</i>	Hybrid Marsh Orchid	g q	g q		g	g		y		
<i>Dactylorhiza incarnata</i> spp <i>incarnata</i>	Early Marsh Orchid	g	g		g q	g about 20		Y 7 this year	2	

Latin Name	English name	Location	2020	2019	2018	2017	2016	2015	2014	2013
<i>Dactylorhiza Peloric</i>	Hybrid Orchid?	g		y	g	g one plant	g	g		
<i>Dactylorhiza praetermissa</i>	Southern Marsh Orchid	g	g		g	g 3 plants		return after many years		
<i>Daucus carota</i>	Wild Carrot	g	g q	g cp q	g q	cp g q		Y		
<i>Deschampsia caespitosa</i>	Tufted Hair-grass	g q	q SL		q	q		Y		
<i>Digitalis purpurea</i>	Foxglove	q			q				BSBI	
<i>Dipsacus fullonum</i>	Wild Teasel	g q	cp1 g q	cp q g	q g	cp q		Y		
<i>Dryopteris felix-mas</i>	Male fern	q (board walk)	g q	q	q	q Goodfellows pond area	q	Y		
<i>Echium vulgare</i>	Viper's Bugloss	q	q 1 plant		q	q		Y SL		
<i>Eleocharis palustre</i>	Common Spike-rush	q	q		q			Y	N	
<i>Elymus repens</i> (formerly <i>Agropyron repens</i>)	Couch Grass	g	q	g SL	Y			Y SL N		
<i>Epilobium hirsutum</i>	Great Willowherb	g q	q	q	cp g	q	q	y		
<i>Epilobium parviflorum</i>	Hoary Willowherb	g q	q		q	q		Y		
<i>Epilobium spp</i>	Willowherb spp.– they hybridise!	q	q	q	q g					
<i>Equisetum arvense</i>	Field Horsetail	q	q	q g	g q	q	q g	Y		
<i>Equisetum palustre</i>	Marsh Horsetail?	q	q		q	q		Y		
<i>Equisetum telmarteia</i>	Great Horsetail	q	q	q						
<i>Erigeron acris</i>	Blue Fleabane	g q	g q	q g	cp q	cp q		Y		
<i>Erodium cicutarium</i>	Common Stork's-bill	q	q					Y	BSBI	
<i>Erophila verna</i>	Whitlow Grass	g q	g	cp rm q	g rm	cp		Y		
<i>Ervilia hirsuta</i> (formerly <i>Vicia hirsuta</i>)	Hairy Tare (2 seeds in pod)	q	g q	g		g q	cp g		N BSBI	
<i>Ervum tetraspermum</i> (formerly <i>Vicia tetrasperma</i>)	Smooth Tare (4 seeds in pod)	g q	g q	g	q	g		Y		
<i>Eupatorium cannabinum</i>	Hemp Agrimony	g q	g q		q	q		Y	N	
<i>Euphorbia helioscopia</i>	Sun Spurge	g (lower end)	g	g						
<i>Euphorbia lathyris</i>	Caper Spurge	q	q	q spreading	q	q	q	Y		
<i>Euphrasia agg.</i>	Eyebright	g q	g q	q	q cp	q	q	Y		
<i>Festuca gigantea</i>	Giant Fescue		g							
<i>Festuca ovina</i>	Sheep's Fescue		q SL (new)							
<i>Festuca rubra</i>	Red Fescue	gr q	g q	g	g q			Y		
<i>Ficaria verna</i>	Lesser Celandine	g	g					Y		
<i>Filago germanica</i>	Common Cudweed	cp q	cp w	q spreading	q	absent		Y		
<i>Filipendula ulmaria</i>	Meadowsweet	q	q	q	q	g q	q	Y		
<i>Forsythia aff suspensa</i>	Forsythia	q	q	q	q					
<i>Fragaria sterilis</i>	Barren Strawberry									
<i>Fragaria vesca</i>	Wild Strawberry	q	q	cp q	cp q	cp q	cp q	Y		
<i>Fraxinus excelsior</i>	Common Ash	q	q	q	g			Y		
<i>Galium album</i>	Hedge Bedstraw	g q	g q	cp q g	g q	q	q g	Y		
<i>Galium aparine</i>	Cleavers	q	q	q g	q		cp q	Y		
<i>Galium verum</i>	Lady's Bedstraw	g q	g q	q g	q spreading	q verge	q	Y		
<i>Geranium dissectum</i>	Cut-leaved Cranesbill	g	q	cp g q	q	g q	cp g q	Y		
<i>Geranium molle</i>	Doves-foot Cranesbill	g	q	cp q	g q	g q	q	Y		
<i>Geranium pusillum</i>	Small-flowered Cranesbill	q								
<i>Geranium robertianum</i>	Herb-Robert	q	q	q		q	cp q	Y		
<i>Geum urbanum</i>	Wood Avens	g q	q SL	q	q	q	cp q	Y		
<i>Glechoma hederacea</i>	Ground Ivy	g q	cp1m 2 g q	g q cp	cp q	cp g	cp q	Y		
<i>Gymnadenia conopsea</i>	Fragrant Orchid	g						N		
<i>Hebe spp</i>	Hebe garden escape	cp	cp					SL		

Latin Name	English name	Location	2020	2019	2018	2017	2016	2015	2014	2013
<i>Hedera helix</i>	Ivy	g	g	g cp				SL		
<i>Helianthemum nummularium</i>	Common Rockrose	q	q 6 plts	q (one plant)	q	q	q	Y	BSBI	
<i>Helminthotheca echioides</i>	Bristly Oxtongue	q	cp, q	cp q	cp q	q	cp q	Y		
<i>Heracleum sphondylium</i>	Hogweed	g q	g q	q	q g		g	Y		
<i>Hieracium agg.</i>	Hawkweed		q SL	q				Y SL		
<i>Holcus lanatus</i>	Yorkshire Fog	g	g, q cp	g	g			Y		
<i>Hordeum murinum</i>	Wall Barley			f new						
<i>Hyacinthoides aff hispanica</i>	Spanish Bluebell	q (by pond)	q by pond	q (Nathan)	q by pond					
<i>Hypericum hirsutum</i>	Hairy St John's-wort	g q	q 1 plant	q		q		Y		
<i>Hypericum perforatum</i>	Perforate St John's-wort	g q	cp2 g q	q	g			Y		
<i>Hypericum maculatum</i>	Imperf. St John's-wort	q						Y Jane's group		
<i>Hypericum tetrapterum</i>	Sq.stalked St John's-wort			cp ?????				Y		
<i>Hypochaeris radicata</i>	Catsear	q	g q		g q	q	cp q	Y		
<i>Inula conyza</i>	Ploughman's Spikenard	q	q 1 plant	q	q	q		Y		
<i>Iris pseudacorus</i>	Yellow Iris (lemon)	q	q pond	q	q					
<i>Jacobaea erucifolia</i> (formerly <i>Senecio erucifolius</i>)	Hoary Ragwort	g q	g q	g	g	g q	cp g	Y		
<i>Jacobaea vulgaris</i> (formerly <i>Senecio jacobaea</i>)	Common Ragwort	g	g q	g	cp q	cp g	cp q	Y		
<i>Juglans regia</i>	Common Walnut	q	q 2 plts							
<i>Juncus articulatus</i>	Jointed Rush	q	q	q	q			Y		
<i>Juncus bufonius</i>	Toad Rush	q	q					Y SL		
<i>Juncus bulbosus?</i>	Bulbous Rush	q								
<i>Juncus conglomeratus</i>	Compact Rush	q	q	q				y		
<i>Juncus effusus</i>	Soft Rush	q		g q				y		
<i>Juncus inflexus</i>	Hard Rush	q	q g	cp q	g q			Y		
<i>Knautia arvensis</i>	Field Scabious	q	q					Y		
<i>Lactuca serriola</i>	Prickly Lettuce	q			q near shed					
<i>Lactuca aff. virosa</i>	Great Lettuce	q	cp2 g q	q cp	cp q		q	y		
<i>Lamium album</i>	White Dead-nettle	g q	cp1 g q	cp g q	cp q					
<i>Lamium purpureum</i>	Red Dead-nettle	g	cp2	cp	cp g	cp		Y		
<i>Lapsana communis</i>	Nipplewort		q 2 sites					Y SL		
<i>Lathyrus nissolia</i>	Grass Vetchling	g q	g q	g	g q lots	q	q g lots	Y		
<i>Lathyrus pratensis</i>	Meadow Vetchling	g q	q	g		g		y		
<i>Lemna minor</i>	Common Duckweed	q		q cabin pond			q	y SL new		
<i>Lemna trisulca</i>	Ivy-leaved Duckweed		q SL							
<i>Leontodon hispidus</i>	Rough Hawkbit	cp	q					SL		
<i>Leucanthemum vulgare</i>	Oxeye Daisy	g	q	g	g	g		y?		
<i>Ligustrum vulgare</i>	Wild Privet	g	q	g h etc				Y		
<i>Linaria vulgaris</i>	Common Toadflax	g	q SL	cp?	cp	g		Y		
<i>Linum catharticum</i>	Fairy Flax	g q	cp g q	q g	q g	cp g q		Y		
<i>Listera ovata</i>	Common Twayblade	g	q 1plt					N		
<i>Lithospermum officinale</i>	Common Gromwell	q	q	q	q	q		y		
<i>Lolium perenne</i>	Perennial Rye-grass	q		g SL	g			Y		
<i>Lonicera periclymenum</i>	Honeysuckle	q	q SL		q			Y		
<i>Lotus corniculatus</i>	Common Bird's-foot-trefoil	g q	cp gm q	q	g q	g q	cp g q	y		
<i>Lotus corniculatus</i>	C Bft pale yellow?	q		q new						
<i>Lotus glaber</i>	Narrow-leaved Bird's-foot-trefoil	q			q g			y		
<i>Lotus peduncularis</i>	Greater Bird's-foot-trefoil?	g	q			g	g ?	Perhaps		
<i>Luzula campestris</i>	Field Woodrush	q	g				g	?	N BSBI	
<i>Lycopus europaeus</i>	Gipsy-wort	g q	q	q	q	q		y		

Latin Name	English name	Location	2020	2019	2018	2017	2016	2015	2014	2013
<i>Lysimachia arvensis</i> (formerly <i>Anagallis</i>)	Scarlet Pimpernel	g q	cp g q		q	g q	q	q	y (q)	
<i>Lythrum salicaria</i>	Purple Loosestrife	q	q	q	q	q		?	N	
<i>Malus domestica</i>	Apple (wildling?)	g (3 small trees)	g					y		
<i>Malva sylvestris</i>	Common Mallow	g q	q		cp q			Y		
<i>Matricaria chamomilla</i>	Scented Mayweed	cp		scp				Y		
<i>Medicago arabica</i>	Spotted Medick	g								
<i>Medicago lupulina</i>	Black Medick	g q	cp q	g	g q	cp	g	y		
<i>Melica uniflora</i>	Wood Melick	q ?							N BSBI	
<i>Melilotus albus</i>	White Melilot	q							N BSBI	
<i>Melilotus altissima</i>	Tall Melilot	g q			cp					
<i>Melilotus officinalis</i>	Ribbed Melilot	g	? q	q						
<i>Melissa officinalis</i>	Balm	q	q						N BSBI	
<i>Mentha aquatica agg</i>	Water Mint	q	q	q	q	q		y	N BSBI	
<i>Mentha arvensis</i>	Corn Mint	q							N BSBI	
<i>Mentha spicata</i>	Spear Mint	q							N BSBI	
<i>Mentha x verticillata</i>	Whorled Mint	q							N BSBI	
<i>Mercurialis annua</i>	Annual Mercury	q							N BSBI	
<i>Mercurialis perennis</i>	Dog's Mercury	q							N BSBI	
<i>Milium effusum</i>	Wood Millet	q							N BSBI	
<i>Moehringia trinerva</i>	Three-nerved Sandwort	q		scp					N BSBI	
<i>Mycelis muralis</i>	Wall Lettuce	q								
<i>Myosotis arvensis</i>	Field Forget-me-not	g q	cp g q	q	cp g q	g q	cp q	Y		
<i>Myosotis discolor</i>	Changing Forget-me-not	q	q	q	q		q N?			
<i>Mysosotis ramosissima</i>	Early Forget-me-not	q	q							
<i>Nymphaea alba</i>	White Waterlily	q (pond planted)	q pond	q						
<i>Odontites vernus</i>	Red Bartsia	g q	g q	g	cp g	g q		Y		
<i>Odontites vernus (white)</i>	White Bartsia	g q	g q	g		g q		Y N SL		
<i>Oenothera biennis</i>	Common Evening-primrose		cp2			cp		Y?		
<i>Ononis repens</i>	Common Restharrow	g q	g q	q	q	q		yy		
<i>Ononis x pseudohircina</i>	Hybrid Restharrow		q SL new							
<i>Ophrys apifera</i>	Bee Orchid	g q	g q	q cp g	cp g q	cp g q	cp g q	yy		
<i>Orchis anthropophora</i>	Man Orchid	q	q 2 sites	q about 40	q about 70	q 50 spikes	q 12-15 spikes	Y c 40 plants	n JS 17 plants	
<i>Origanum vulgare</i>	Wild Marjoram	g q	q	q	cp q g	q	q	Y		
<i>Oxybasis rubra</i> (formerly <i>Chenopodium rubrum</i>)	Red Goosefoot	q		In dry pond		q in dry pond				
<i>Papaver rhoeas</i>	Common Poppy	g q	g	scp				Y by pond		
<i>Pastinaca sativa var sativa</i>	Wild Parsnip	g	q SL	q g	g q cp		cp	Y		
<i>Persicaria maculosa</i>	Redshank	q (dry pond)		Y						
<i>Phalaris arundinacea</i>	Reed Canary-grass	q				cp g q		Y		
<i>Phleum bertolonii</i>	Smaller Cat's-tail	g q	g	g	g			Y		
<i>Phragmites communis</i> syn <i>P. australis</i>	Common Reed	q	q SL		q			Y		
<i>Picris hieracioides</i>	Hawkweed Oxtongue	g						Y		
<i>Pilosella officinarum</i>	Mouse-ear Hawkweed	g q	cp q	q	q	??	q	Y		
<i>Pimpinella saxifraga</i>	Burnet Saxifrage	g (path by Mcks)	Verge by Mick's					Y JS new		
<i>Pinus spp</i>	Pine seedling	q (near boardwalk)	q near bwalk	q (new)						
<i>Plantago coronopus</i>	Buck's-horn Plantain	g	SL		g poor sp.			Y		
<i>Plantago lanceolata</i>	Ribwort Plantain	g q	cp1 g	cp q	cp g q		g q	Y		
<i>Plantago major</i>	Greater Plantain	g	g	g	g q			Y		
<i>Plantago major</i> subsp <i>intermedia</i>	subsp of Greater Plantain		q SL							
<i>Poa angustifolia</i>	Narrow-leaved Meadow-grass	g	SL	g SL				Y N SL		

Latin Name	English name	Location	2020	2019	2018	2017	2016	2015	2014	2013
<i>Poa annua</i>	Annual Meadow-grass	g	q					NY N SL		
<i>Poa pratensis</i>	Smooth Meadow-grass	g	SL		g			Y?		
<i>Poa trivialis</i>	Rough-stalked Meadow-grass	g	SL					Y?		
<i>Polypogon monspeliensis</i>	Annual Beard-grass	q (dry pond area)		q	quarry				N BSBI	
<i>Potamogeton crispus</i>	Curled Pondweed	q (cabin pond)	SL	q		q cabin ponf	q	Spreading fast	N introduced	
<i>Potamogeton natans</i>	Broad-leaved Pondweed	q	SL					Y N SL		
<i>Potentilla aserina</i>	Silverweed	q						Y by pond		
<i>Potentilla reptans</i>	Creeping Cinquefoil	g q	cp1 g q	cp, q, g	cp g	g q	g q	Y		
<i>Potentilla steriis</i>	Barren Strawberry	cp q		cp, q	cp q	q	q			
<i>Primula veris</i>	Cowslip	g q	cp1 q	g q	cp q spreading!	cp q	q	Y		
<i>Primula veris</i>	Red Cowslip	g				g	g	Y	New CT	
<i>Primula vulgaris</i>	Wild Primrose				cp q	q cp (new?)				
<i>Prunella vulgaris</i>	Self-heal	g q	cp2 g q	g, q	g q	cp q g	cp g q	Y		
<i>Prunus avium</i>	Wild Cherry		g							
<i>Prunus cerasifera</i>	Cherry Plum		SL	g, q						
<i>Prunus domestica</i>	Bullace or Wild Plum	g	g	g, q				?		
<i>Prunus spinosa</i>	Blackthorn	g q	cp g q	g, q	cp hedge			Y		
<i>Pulicaria dysenterica</i>	Common Fleabane	g q	q	g, q	q	g q		Y		
<i>Pyrus communis</i>	Pear - seedling	g	g		g					
<i>Quercus robur</i>	Oak	g (planted)	g planted	g	q (seedling)			Y	N BSBI	
<i>Ranunculus acris</i>	Meadow Buttercup	g	g							
<i>Ranunculus bulbosus</i>	Bulbous Buttercup	g	SL							
<i>Ranunculus flammula</i>	Spearwort	ed	q	q		q		Y	cabin pond	
<i>Ranunculus repens</i>	Creeping Buttercup	g q	g q	g	cp g	cp g q	g q	Y		
<i>Ranunculus trichophylus</i>	Water Crowfoot	q		q scp				N	N	
<i>Rapistrum rugosum</i>	Bastard Cabbage	cp q	cp1 g q	cp. scp, q	cp q	cp q	cp q	Y		
<i>Reseda alba?</i>	White Mignonette	q				q			N BSBI	
<i>Reseda lutea</i>	Wild Mignonette	g q	q	q	q	q	q	Y		
<i>Reseda luteola</i>	Weld	q	q	q, g	q	q	q			
<i>Rhamnus cathartica</i>	Buckthorn	cp h						y also in field DC		
<i>Rhinanthus minor</i>	Yellow-rattle	g	g	g 2-3 new patch	g	g (near stile)	g	Y		
<i>Rosa canina agg</i>	Dog-rose	g q	cp g q	m, q, cp	cp g q	g	cp g q	Y		
<i>Rosa x dumalis</i>	?							SL		
<i>Rosa rubiginosa</i>	Sweet-briar	g	g q near pond					Y by pond		
<i>Rosa spinosissima</i>	Burnet Rose	g	g				g	cut down?		
<i>Rubus conjugens</i>	Bramble		SL new							
<i>Rubus caesius</i>	Dewberry	g q	q	g,				Y		
<i>Rubus fruticosus agg.</i>	Bramble	g	cp g q	cp, m, q	cp g q	cp g q	cp g q	Y		
<i>Rumex acetosa</i>	Sorrel	q			g - very red	q			N BSBI	
<i>Rumex conglomeratus</i>	Clustered Dock	g	SL							
<i>Rumex crispus</i>	Curled Dock	g q	q	q, g	g q	cp q	cp	Y		
<i>Rumex obtusifolius</i>	Broad-leaved dock	q	q		q			Y		
<i>Rumex sanguineus</i>	Wood Dock	g q	cp g		q			Y near stile		
<i>Sagina apetala</i>	Pearlwort	q						SL		
<i>Salix caprea</i>	Goat willow or Sallow	q	q					Y		
<i>Salix agg</i>	Willows - lots		g q							
<i>Salix cinerea subsp cinerea</i>	Grey Willow ssp							SL		
<i>Salix cinerea subsp. oleifolia</i>	Grey Willow ssp	q						SL		

Latin Name	English name	Location	2020	2019	2018	2017	2016	2015	2014	2013
<i>Salix myrsinifolia</i>	Dark-leaved Willow	q						SL		
<i>Salix x fragilis sens. lat.</i>	Crack Willow	q						?SL		
<i>Salix x holosericea</i>	S. cinerea x S. viminalis	g q						SL new		
<i>Salix reichardtii</i>	Cross caprea and cinerea	g q						SL new		
<i>Sambucus nigra</i>	Elder	g q	q		q		q	Y		
<i>Samolus valerandi</i>	Brookweed	q	q	q	q	g q		Y		
<i>Sanguisorba minor spp minor</i>	Salad Burnet	g q ??								
<i>Saxifraga granulata</i>	Saxifrage Meadow	g		cp			g dc only	Y	N DC	
<i>Saxifraga tridactylites</i>	Rue-leaved Saxifrage	cp	SL	cp	cp	cp		Y		
<i>Schoenoplectus lacustris</i>	Common Club-rush		q		q			SL		
<i>Schoenoplectus tabernaemontani</i>	Grey Club-rush	q	q		q			Y		
<i>Scorzoneroides autumnalis</i>	Autumn Hawkbit	q g	? q	g				Y		
<i>Scrophularia auriculata</i>	Water Figwort Winged stems	q	q MH		q	q		Y		
<i>Scrophularia nodosa</i>	Common Figwort Sq stems	q	q	q				Y Jane's group		
<i>Sedum acre</i>	Creeping Stonecrop	cp	cp	cp	cp	cp	cp	SL		
<i>Senecio vulgaris</i>	Groundsel	Bullrush	cp entrance	scp	q	q (new?)				
<i>Sherardia arvensis</i>	Field Madder	q	q	cp g	cp q	q	cp q	Y		
<i>Silene alba syn latifolia</i>	White Champion	q	g q	q	q	q		Y		
<i>Silene vulgaris</i>	Bladder Campion	q	q			q		Y?		
<i>Sinapis arvensis</i>	Charlock	g ?					q	SL new		
<i>Sison amomum ?</i>	Stone Parsley	g (by boundary hedge)	g					SL new		
<i>Sisymbrium orientale</i>	Hedge Mustard	q			q	q	cp	N		
<i>Solanum dulcamara</i>	Bittersweet	q	q	q	q	q	q	Y		
<i>Sonchus arvensis</i>	Perennial Sowthistle	q	q	q	q	q		Y		
<i>Sonchus asper</i>	Prickly Sowthistle	q	q	cp, q	q		cp	Y		
<i>Sonchus oleraceus</i>	Smooth Sowthistle	q	q	scp, g				Y		
<i>Sorbus aucuparia</i>	Mountain Ash	g	g					SL		
<i>Spiranthes spiralis</i>	Autumn Ladies Tresses		g		g	g	New			
<i>Stachys sylvatica</i>	Hedge Woundwort	q	g q MH	Oxeye	q	q		Y New?		
<i>Stellaria graminea</i>	Lesser Stitchwort	g	SL	g			q	SL		
<i>Stellaria media</i>	Common Chickweed	g						Y		
<i>Symphytum orientale</i>	White Comfrey	q	cp2	cp	q					
<i>Symphytum spp</i>	Comfrey	cp	cp2	cp						
<i>Syringa vulgaris</i>	Lilac - garden escape	q	q		q		q	Y		
<i>Tanacetum parthenium</i>	Feverfew	cp					cp nNew			
<i>Tamus communis</i>	Black Bryony	g q			q north side			Y		
<i>Taraxacum officinale agg</i>	Dandelion	q	cp1 and 2 g	cp, q , g	cp g	cp g q	q 12-15 spikes	Y		
<i>Torilis japonica</i>	Upright Hedge Parsley	g q	g q	q	g q	q		Y		
<i>Torilis nodosa ?</i>	Knotted Hedge Parsley	g on road, poor specimen	SL	q	? G					
<i>Tragopogon pratensis subsp. minor</i>	Goat's-beard	g q	q	cp	g		cp	Y		
<i>Trifolium campestre</i>	Hop Trefoil	g q	g q	q	g q	q		Y		
<i>Trifolium dubium</i>	Lesser Yellow Trefoil	g q	cp2 q	cp q	g			Y		
<i>Trifolium medium</i>	Zig-zag Clover	q								
<i>Trifolium micranthum</i>	Slender Trefoil	cp q	q?		?g			SL new		
<i>Trifolium pratense</i>	Red Clover	f q	g q	g	g	g q	cp g	Y		
<i>Trifolium repens</i>	White Clover	f q	g	g	g q	cp q	cp g	Y		
<i>Tripleurospermum syn Matricaria inodorum</i>	Scentless Mayweed	cp q						Y		
<i>Trisetum flavescens</i>	Yellow Oat-grass	g	g		g			Y		
<i>Tussilago farfara</i>	Colt's-foot	q	q	q - all over	q spreading	q	q			
<i>Typha angustifolia</i>	Lesser Bulrush	q						Y		
<i>Typha latifolia</i>	Bulrush	q	q		q			Y		

Latin Name	English name	Location	2020	2019	2018	2017	2016	2015	2014	2013
<i>Urtica dioica</i>	Common Nettle	q	cp1 g q	cp q g	g q	q	cp	Y		
<i>Valeriana officinalis</i>	Common Valerian	q	q		q		q	Y		
<i>Valerianella spp</i>	Cornsalad – (Narrow-leaved?)	q						SL		
<i>Verbascum blattaria</i>	Moth Mullein (white)	g	g CT							
<i>Verbascum thapsus</i>	Great Mullein		cp q	q	q			SL		
<i>Veronica anagallis-aquatica</i>	Blue Water Speedwell	q (pond)		new						
<i>Veronica arvensis</i>	Wall Speedwell	g	cp g	cp g	q		q	Y		
<i>Veronica chamaedrys</i>	Germander Speedwell	g q	cp1 g q	g q	cp march q	cp g q	q	Y		
<i>Veronica 'Great Orme'</i>	Shrubby Hebe		SL new							
<i>Veronica hederifolia</i>	Ivy-leaved Speedwell		cp2 {new}							
<i>Veronica persica</i>	Common Field Speedwell	q	cp1 q	cp q	cp	cp	q	Y		
<i>Veronica polita</i> ???	Grey Field Speedwell			q						
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell	q	q	q	q	q	g q	Y		
<i>Vicia cracca</i>	Tufted Vetch	g q	g q	g q	g q	q		Y		
<i>Vicia sativa spp nigra syn. angustifolia</i>	Slender or Narrow-leaved Vetch	g			g	g q	g q	Y		
<i>Vicia sativa spp segetalis</i>	subsp of Common Vetch		SL							
<i>Vicia sativa</i>	Common Vetch		g q	cp g q	cp	g q	cp q	SL		
<i>Vicia sepium</i>	Bush Vetch	q?				q				
<i>Viola arvensis</i>	Field Pansy	q						Y		
<i>Viola canina</i>	Dog Violet	q	q lots			q		Y		
<i>Viola hirta</i>	Hairy Violet	q (MO bank)		q (new)						
<i>Viola odorata</i>	Sweet Violet	q	q lots	q all over	q a lot MO	q		Y		
<i>Vulpia bromoides</i>	Squirreltail Fescue		SL new							
<i>Vulpia myuros</i>	Rat's-tail Fescue	q	SL					Y SL	N BSBI	

Notes

11th June 2015 About 50 D. fuchsii counted in the wooded area on the north boundary. (Jane's path!)

2015 Sarah Lambert's (SL) master list

Late August 2015 - checked fruit trees in field - 3 wilding apples, 4 yellow plums (Mirabelle?), 1 pear, 2 not fruiting

Jane's group August 15 leaf gall on Phragmites - Liparia luecus

2016 late August Spiranthese spiralis population

2018 - Coltsfoot near boardwalk and on banks by road in quarry

Spiked sedge on field???? Tony Vials ident.

Big Echium on Tinwell Fault, Dryopteris at point 5

2019 - first recording session. Butterflies appearing too - brimstone, peacock, 2 lizards by point 5 on the geology trail. Honey bee.

16/7/19 recording at conservation meeting. Look for narrow leaved water plantain - fls open in morning and stay open all gday. Water-plantain fls usually only open after midday.

Brachypodium pinnatum in quarry - SL says it can be invasive. SL said we might even consider pulling it up. It has pale yellow foliage.

22/7/19 Visit from Wildlife Trust Iain Webb and colleagues

2020 First recording session JS lots of violets flowering in quarry. Five brimstone butterflies and lots of beetles

23.4.20 - Second recording session.

17.5.20 third session

Walk with CT et 4.6.20

February 2021 - incorporated data from Sarah Lambert